



STIC Search Report

Biotech-Chem Library

STIC Database Tracking Number: 125100

TO: Marina Lamm
Location: 4a31 / 4c70
Monday, June 21, 2004
Art Unit: 1616
Phone: 272-0618
Serial Number: 10 / 665857

From: Jan Delaval
Location: Biotech-Chem Library
Rem 1A51
Phone: 272-2504

jan.delaval@uspto.gov

Search Notes

=> fil reg

FILE 'REGISTRY' ENTERED AT 09:08:48 ON 21 JUN 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 20 JUN 2004 HIGHEST RN 696584-79-9
DICTIONARY FILE UPDATES: 20 JUN 2004 HIGHEST RN 696584-79-9

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004


Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=> d l3 ide can

L3 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2004 ACS on STN
RN 262853-28-1 REGISTRY
CN 2-Pyridinamine, 1,6-dihydro-1-hydroxy-6-imino-5-(3-pyridinylazo)- (9CI)
(CA INDEX NAME)
FS 3D CONCORD
MF C10 H10 N6 O
SR CA
LC STN Files: CA, CAPLUS, USPAT2, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); USES (Uses)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 132:255751

=> fil hcaplus

FILE 'HCAPLUS' ENTERED AT 09:09:08 ON 21 JUN 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is

held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.


FILE COVERS 1907 - 21 Jun 2004 VOL 140 ISS 26
FILE LAST UPDATED: 20 Jun 2004 (20040620/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.


=> d all hitstr l5

L5 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2004 ACS on STN
AN 2000:227938 HCAPLUS
DN 132:255751
ED Entered STN: 07 Apr 2000
TI Hair growth atimulant
IN Damm, Peter; Noser, Friedrich; Schweickert, Rainer; Heinrich, Hans; Reinemund, Eva
PA Wella A.-G., Germany
SO Ger. Offen., 8 pp.
CODEN: GWXXBX
DT Patent
LA German
IC ICM A61K007-06
CC 62-3 (Essential Oils and Cosmetics)
FAN.CNT 1


	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	DE 19845202	A1	20000406	DE 1998-19845202	19981001
	WO 2000019969	A1	20000413	WO 1999-EP6269	19990826
	W: AL, AM, AU, AZ, BB, BG, BR, BY, CA, CN, CZ, EE, GE, HU, IN, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, RO, RU, SD, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ZA, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
	AU 9959709	A1	20000426	AU 1999-59709	19990826
	EP 1117373	A1	20010725	EP 1999-970016	19990826
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
	BR 9914101	A	20010731	BR 1999-14101	19990826
	JP 2002526392	T2	20020820	JP 2000-573331	19990826
	EP 1426034	A1	20040609	EP 2004-4305	19990826
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI, CY				
	US 6488922	B1	20021203	US 2001-744892	20010131
	US 2003031639	A1	20030213	US 2002-159310	20020531
	US 6667028	B2	20031223		
	US 2004062736	A1	20040401	US 2003-665857	20030919
PRAI	DE 1998-19845202	A	19981001		
	EP 1999-970016	A3	19990826		
	WO 1999-EP6269	W	19990826		
	US 2001-744892	A3	20010131		
	US 2002-159310	A3	20020531		
OS	MARPAT 132:255751				
GI					



I




II



III

- AB Agents for promotion of hair growth or diminution of androgenic hair loss contain the aromatic compds. I, II, and/or III [A, B = CH, N; ≥ 1 or A, B = CH; Y = O, (CH₂)_n, NHCH₂, CH₂NH, N:N, CH:CH, CH₂O, OCH₂, N:CH, CH:N, (CH₂CH₂O)_m, (OCH₂CH₂)_m; m, n = 1-4; Z = NHCH₂, CH₂CH₂, CH:CH, CH₂NH; R₁ = H, OH, C1-4 hydroxyalkyl; R₂ = H, cyclopropyl, C1-4 alkyl; R₃ = C1-2 hydroxyalkyl, halomethyl, Ac, CF₃, Me, substituted aryl; R₄-R₆ = H, NO₂, CF₃, CHF₂, CH₂F, F, Cl, Br; R₇ = OH, OSO₃H, C1-4 alkyl, C1-4 alkoxy, C1-2 hydroxyalkyl; R₈ = C1-6 (hydroxy)alkyl, C2-6 hydroxyalkenyl, aryl, heteroaryl, C2-6 alkenylcarboxylic acid]. Thus, a hair tonic contained 1-[N-(2'-nitro-4'-trifluoromethylphenyl)amino]propane-2,3-diol 0.4, Cremophor RH 60 0.2, perfume oil 0.3, cetyl alc. 0.5, and H₂O to 100.0 g.
- ST arom hair growth promoter; phenylaminopropanediol hair growth promoter
- IT Hair preparations
(growth stimulants; hair growth stimulant)
- IT Aromatic compounds
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
(Uses)
(hair growth stimulant)
- IT Alopecia
(prevention of; hair growth stimulant)
- IT 71-43-2D, Benzene, derivs., biological studies 110-86-1D, Pyridine, derivs., biological studies 289-95-2D, Pyrimidine, derivs. 28365-08-4 104333-00-8 262853-25-8 262853-26-9 262853-27-0 **262853-28-1**
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
(Uses)
(hair growth stimulant)
- IT **262853-28-1**
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES
(Uses)
(hair growth stimulant)
- RN 262853-28-1 HCAPLUS
- CN 2-Pyridinamine, 1,6-dihydro-1-hydroxy-6-imino-5-(3-pyridinylazo)- (9CI)
(CA INDEX NAME)



=> fil uspatall

FILE 'USPATFULL' ENTERED AT 09:09:20 ON 21 JUN 2004

CA INDEXING COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPAT2' ENTERED AT 09:09:20 ON 21 JUN 2004

CA INDEXING COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

=> d bib abs hitstr tot 16

L6 ANSWER 1 OF 4 USPATFULL on STN

AN 2004:82287 USPATFULL

TI Hair growth promoter

IN Damm, Peter, Olpe, GERMANY, FEDERAL REPUBLIC OF

Noser, Friedrich, Bonnefontaine, SWITZERLAND

Schweickert, Rainer, Griesheim, GERMANY, FEDERAL REPUBLIC OF

Heinrich, Hans, Viernheim, GERMANY, FEDERAL REPUBLIC OF

Reinemund, Eva, Hirschberg, GERMANY, FEDERAL REPUBLIC OF

PI US 2004062736 A1 20040401

AI US 2003-665857 A1 20030919 (10)

RLI Division of Ser. No. US 2002-159310, filed on 31 May 2002, GRANTED, Pat.

No. US 6667028 Division of Ser. No. US 2001-744892, filed on 31 Jan

2001, GRANTED, Pat. No. US 6488922

PRAI DE 1998-19845202 19981001

DT Utility

FS APPLICATION

LREP STRIKER, STRIKER & STENBY, 103 East Neck Road, Huntington, NY, 11743

CLMN Number of Claims: 11

ECL Exemplary Claim: 1

DRWN No Drawings

LN.CNT 488

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention relates to an agent for promoting the growth of hair and decreasing hair fall-out containing compounds of formulas (I), (II) and/or (III) ##STR1##

a method for reducing the loss of hair and for promoting the growth of hair by using this agent and to the use of the compounds of formulas (I), (II) and/or (III) for promoting hair growth and/or reducing androgenic loss of hair.


CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 262853-28-1

(hair growth stimulant)

RN 262853-28-1 USPATFULL

CN 2-Pyridinamine, 1,6-dihydro-1-hydroxy-6-imino-5-(3-pyridinylazo)- (9CI)
(CA INDEX NAME)



L6 ANSWER 2 OF 4 USPATFULL on STN
 AN 2003:44330 USPATFULL
 TI Hair growth promoter
 IN Damm, Peter, Olpe, GERMANY, FEDERAL REPUBLIC OF
 Noser, Friedrich, Bonnefontaine, SWITZERLAND
 Schweickert, Rianer, Griesheim, GERMANY, FEDERAL REPUBLIC OF
 Heinrich, Hans, Viernheim, GERMANY, FEDERAL REPUBLIC OF
 Reinemund, Eva, Hirschberg, GERMANY, FEDERAL REPUBLIC OF
 PI US 2003031639 A1 20030213
 US 6667028 B2 20031223
 AI US 2002-159310 A1 20020531 (10)
 RLI Division of Ser. No. US 2001-744892, filed on 31 Jan 2001, PENDING A 371
 of International Ser. No. WO 1999-EP6269, filed on 26 Aug 1999, UNKNOWN
 PRAI DE 1998-19845202 19981001
 DT Utility
 FS APPLICATION
 LREP STRIKER, STRIKER & STENBY, 103 East Neck Road, Huntington, NY, 11743
 CLMN Number of Claims: 11
 ECL Exemplary Claim: 1
 DRWN No Drawings
 LN.CNT 481

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention relates to an agent for promoting the growth of
 hair and decreasing hair fall-out containing compounds of formulas (I),
 (II) and/or (III) ##STR1##

a method for reducing the loss of hair and for promoting the growth of
 hair by using this agent and to the use of the compounds of formulas
 (I), (II) and/or (III) for promoting hair growth and/or reducing
 androgenic loss of hair.


CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 262853-28-1

(hair growth stimulant)

RN 262853-28-1 USPATFULL

CN 2-Pyridinamine, 1,6-dihydro-1-hydroxy-6-imino-5-(3-pyridinylazo)- (9CI)
 (CA INDEX NAME)



L6 ANSWER 3 OF 4 USPATFULL on STN
 AN 2002:317145 USPATFULL
 TI Hair growth promoter
 IN Damm, Peter, Olpe, GERMANY, FEDERAL REPUBLIC OF
 Noser, Friedrich, Bonnefontaine, SWITZERLAND

Schweickert, Rainer, Griesheim, GERMANY, FEDERAL REPUBLIC OF
 Heinrich, Hans, Viernheim, GERMANY, FEDERAL REPUBLIC OF
 Reinemund, Eva, Hirschberg, GERMANY, FEDERAL REPUBLIC OF
 PA Wella Aktiengesellschaft, Darmstadt, GERMANY, FEDERAL REPUBLIC OF
 (non-U.S. corporation)
 PI US 6488922 B1 20021203
 WO 2000019969 20000413
 AI US 2001-744892 20010131 (9)
 WO 1999-EP6269 19990826
 PRAI DE 1998-19845202 19981001
 DT Utility
 FS GRANTED
 EXNAM Primary Examiner: Dees, Jose' G.; Assistant Examiner: Lamm, Marina
 LREP Striker, Michael J.
 CLMN Number of Claims: 12
 ECL Exemplary Claim: 1
 DRWN 0 Drawing Figure(s); 0 Drawing Page(s)
 LN.CNT 440

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The method for promoting hair growth and/or reducing hair loss includes
 providing a certain agent for reducing hair loss and/or promoting hair
 growth, applying an effective amount of the agent to hair and scalp,
 after applying the agent massaging the scalp for one to five minutes and
 leaving the agent on the hair and the scalp for at least 24 hours. The
 agent includes a compound of the formulae (I), (II) and/or (III):
 ##STR1##

or a physiologically compatible salt or salts thereof, as effective
 ingredient.


CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 262853-28-1

(hair growth stimulant)

RN 262853-28-1 USPATFULL

CN 2-Pyridinamine, 1,6-dihydro-1-hydroxy-6-imino-5-(3-pyridinylazo)- (9CI)
 (CA INDEX NAME)



L6 ANSWER 4 OF 4 USPAT2 on STN

AN 2003:44330 USPAT2

TI Hair growth promoter

IN Damm, Peter, Olpe, GERMANY, FEDERAL REPUBLIC OF

Noser, Friedrich, Bonnefontaine, SWITZERLAND

Schweickert, Rainer, Griesheim, GERMANY, FEDERAL REPUBLIC OF

Heinrich, Hans, Viernheim, GERMANY, FEDERAL REPUBLIC OF

Reinemund, Eva, Hirschberg, GERMANY, FEDERAL REPUBLIC OF

PA Wella Aktiengesellschaft, Darmstadt, GERMANY, FEDERAL REPUBLIC OF
 (non-U.S. corporation)

PI US 6667028 B2 20031223

AI US 2002-159310 20020531 (10)

RLI Division of Ser. No. US 744892, now patented, Pat. No. US 6488922

PRAI DE 1998-19845202 19981001

DT Utility

FS GRANTED

EXNAM Primary Examiner: Hartley, Michael G.; Assistant Examiner: Lamm, Marina
LREP Striker, Michael J.
CLMN Number of Claims: 8
ECL Exemplary Claim: 1
DRWN 0 Drawing Figure(s); 0 Drawing Page(s)
LN.CNT 455

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The method for promoting hair growth and/or reducing hair loss includes providing a certain agent for reducing hair loss and/or promoting hair growth, applying an effective amount of the agent to hair and scalp, after applying the agent massaging the scalp for one to five minutes and leaving the agent on the hair and the scalp for at least 24 hours. The agent includes a compound of the formulae (I), (II) and/or (III):
##STR1##

or a physiologically compatible salt or salts thereof, as effective ingredient.


CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 262853-28-1

(hair growth stimulant)

RN 262853-28-1 USPAT2

CN 2-Pyridinamine, 1,6-dihydro-1-hydroxy-6-imino-5-(3-pyridinylazo)- (9CI)
(CA INDEX NAME)



=> => fil reg

FILE 'REGISTRY' ENTERED AT 09:51:15 ON 21 JUN 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 20 JUN 2004 HIGHEST RN 696584-79-9

DICTIONARY FILE UPDATES: 20 JUN 2004 HIGHEST RN 696584-79-9

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.


Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=> d sta que l22

L2 9 SEA FILE=REGISTRY ABB=ON PLU=ON (104333-00-8/BI OR 110-86-1/B
I OR 262853-25-8/BI OR 262853-26-9/BI OR 262853-27-0/BI OR

262853-28-1/BI OR 28365-08-4/BI OR 289-95-2/BI OR 71-43-2/BI)
 L3 1 SEA FILE=REGISTRY ABB=ON PLU=ON L2 AND C10H10N6O
 L9 STR



C @25




N @24

VAR G1=24/25
 VAR G2=O/10/18/19
 NODE ATTRIBUTES:
 CONNECT IS M1 RC AT 4
 CONNECT IS M1 RC AT 5
 CONNECT IS M1 RC AT 24
 CONNECT IS M1 RC AT 25
 DEFAULT MLEVEL IS ATOM
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
 RSPEC 1
 NUMBER OF NODES IS 22

STEREO ATTRIBUTES: NONE

L11 356 SEA FILE=REGISTRY CSS FUL L9
 L12 STR





VAR G2=O/10/18/19
 VAR G3=O/CH2/39/41/44/48/37/33/34/32/31/35/36/50/52
 NODE ATTRIBUTES:
 CONNECT IS X4 RC AT 27
 DEFAULT MLEVEL IS ATOM
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
 RING(S) ARE ISOLATED OR EMBEDDED
 NUMBER OF NODES IS 38

STEREO ATTRIBUTES: NONE

L16 69 SEA FILE=REGISTRY SUB=L11 SSS FUL L12

L17 STR



VAR G2=O/10/18/19

REP G3=(1-12) A

VAR G4=AK/54/CY/57

NODE ATTRIBUTES:

CONNECT IS X4 RC AT 27

CONNECT IS M1 RC AT 60

DEFAULT MLEVEL IS ATOM

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 22

STEREO ATTRIBUTES: NONE

L19 43 SEA FILE=REGISTRY SUB=L16 CSS FUL L17

L20 26 SEA FILE=REGISTRY ABB=ON PLU=ON L16 NOT L19

L21 1 SEA FILE=REGISTRY ABB=ON PLU=ON L20 AND C6H10N4O

L22 43 SEA FILE=REGISTRY ABB=ON PLU=ON (L19 OR L21) NOT L3

=> d his

(FILE 'HOME' ENTERED AT 09:05:24 ON 21 JUN 2004)

SET COST OFF

FILE 'HCAPLUS' ENTERED AT 09:06:01 ON 21 JUN 2004

L1 1 S (US20040062736 OR US6667028 OR US20030031639 OR US6488922)/PN
SEL RN

FILE 'REGISTRY' ENTERED AT 09:07:02 ON 21 JUN 2004

L2 9 S E1-E9

L3 1 S L2 AND C10H10N6O

L4 0 S 262853-28-1/CRN

FILE 'HCAPLUS' ENTERED AT 09:08:27 ON 21 JUN 2004

L5 1 S L3

FILE 'USPATFULL, USPAT2' ENTERED AT 09:08:28 ON 21 JUN 2004

L6 4 S L3

FILE 'REGISTRY' ENTERED AT 09:08:48 ON 21 JUN 2004

FILE 'HCAPLUS' ENTERED AT 09:09:08 ON 21 JUN 2004

FILE 'USPATFULL, USPAT2' ENTERED AT 09:09:20 ON 21 JUN 2004

FILE 'REGISTRY' ENTERED AT 09:10:35 ON 21 JUN 2004

L7 STR
L8 22 S L7 CSS SAM
L9 STR L7
L10 17 S L9 CSS
L11 356 S L9 CSS FUL
SAV L11 LAMM665/A
L12 STR L9
L13 0 S L11 AND C2H4O
L14 0 S L11 AND C3H6O
L15 2 S L12 SAM SUB=L11
L16 69 S L12 FUL SUB=L11
SAV L16 LAMM665A/A
L17 STR L12
L18 2 S L17 SAM SUB=L16
L19 43 S L17 CSS FUL SUB=L16
SAV L19 LAMM665B/A
L20 26 S L16 NOT L19
L21 1 S L20 AND C6H10N4O
L22 43 S L19,L21 NOT L3
SAV L22 LAMM665C/A

FILE 'HCAOLD' ENTERED AT 09:44:06 ON 21 JUN 2004

L23 0 S L22

FILE 'HCAPLUS' ENTERED AT 09:44:10 ON 21 JUN 2004

L24 25 S L22
E WELLA/PA,CS
L25 0 S WELLA?/PA,CS AND L24
E DAMM P/AU
L26 0 S E3-E5,E7 AND L24
E NOSER F/AU
L27 0 S E3-E5 AND L24
E SCHWEICKERT R/AU
L28 0 S E3-E5 AND L24
E HEINRICH H/AU
L29 0 S E3-E11,E13-E20 AND L24
E REINEMUND E/AU
L30 0 S E4 AND L24
L31 24 S L24 AND (PY<=1999 OR PRY<=1999 OR AY<=1999)
L32 24 S L24 AND (PY<=1998 OR PRY<=1998 OR AY<=1998)
L33 25 S L24,L31,L32
L34 9 S L33 AND HAIR
E HAIR/CT
E E3+ALL
L35 1 S L33 AND E6,E5+NT
E E15+ALL
L36 8 S L33 AND E13,E12+NT
E E15+ALL
E E16+ALL
L37 0 S L33 AND E6
E E8+ALL
E E19+ALL
L38 8 S L33 AND E7,E6+NT
E E16+ALL
E E20+ALL
L39 0 S L33 AND E4
E E6+ALL
E E17+ALL
L40 5 S L33 AND E2+NT

L41 8 S L33 AND (ALOPEC? OR BALD OR BALDNESS OR BALDING)
 L42 1 S L33 AND SHAMPOO
 L43 9 S L34-L42
 L44 8 S L33 AND (COSMETIC#/SC,SX,CW,BI OR COS/RL)
 L45 10 S L43,L44
 L46 15 S L33 NOT L45

FILE 'REGISTRY' ENTERED AT 09:51:15 ON 21 JUN 2004

=> fil hcaplus

FILE 'HCAPLUS' ENTERED AT 09:51:28 ON 21 JUN 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 21 Jun 2004 VOL 140 ISS 26

FILE LAST UPDATED: 20 Jun 2004 (20040620/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d l45 all hitstr tot

L45 ANSWER 1 OF 10 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 1996:661059 HCAPLUS

DN 125:284387

ED Entered STN: 09 Nov 1996

TI **Cosmetic** compositions containing 6-substituted pyrimidine derivatives as an activator and/or stabilizer of cyclooxygenase

IN Michelet, Jean-Francois; Mahe, Yann; Bernard, Bruno

PA Oreal S. A., Fr.

SO Eur. Pat. Appl., 10 pp.

CODEN: EPXXDW

DT Patent

LA French


IC ICM A61K031-505

CC 62-4 (Essential Oils and **Cosmetics**)

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	EP 736300	A2	19961009	EP 1996-400601	19960321 <--
	EP 736300	A3	19961106		
	EP 736300	B1	20030305		
	R: DE, ES, FR, GB, IT				
	FR 2732597	A1	19961011	FR 1995-4049	19950405 <--
	FR 2732597	B1	19970516		
	ES 2194083	T3	20031116	ES 1996-400601	19960321 <--
	CA 2173544	AA	19961006	CA 1996-2173544	19960404 <--
	CA 2173544	C	19991005		
	<u>US 5756092</u>	A	19980526	US 1996-628473	19960405 <--
PRAI	FR 1995-4049	A	19950405		<--

- AB The title compns. are used for the treatment of skin disorders such as eczema, erythema and psoriasis. Thus, a solution of 5 mM 2,4-diamino-6-piperidinopyrimidine-3-oxide (I) increased the cyclooxygenase activity of prostaglandin-endoperoxide synthase in oxidation of arachidonic acid by 58%. A lotion contained I 0.025, ethanol 30, and water q.s. 100 g.
- ST **cosmetic** pyrimidine deriv cyclooxygenase activator stabilizer; lotion skin disorder pyrimidine deriv
- IT Blood coagulation
Eczema
Erythema
Pruritus
Psoriasis
Urticaria
(**cosmetic** compns. containing substituted pyrimidine derivs. as activator and/or stabilizer of cyclooxygenase)
- IT **Cosmetics**
(antiaging, **cosmetic** compns. containing substituted pyrimidine derivs. as activator and/or stabilizer of cyclooxygenase)
- IT **Cosmetics**
(creams, **cosmetic** compns. containing substituted pyrimidine derivs. as activator and/or stabilizer of cyclooxygenase)
- IT Mast cell
(disease, mastocytosis, systemic, **cosmetic** compns. containing substituted pyrimidine derivs. as activator and/or stabilizer of cyclooxygenase)
- IT **Cosmetics**
(lotions, **cosmetic** compns. containing substituted pyrimidine derivs. as activator and/or stabilizer of cyclooxygenase)
- IT 24867-26-3, 2,4-Diamino-6-piperidinopyrimidine 38304-91-5, 2,4-Diamino-6-piperidinopyrimidine-3-oxide **128304-90-5**
130183-36-7 146234-12-0 146234-14-2 146234-19-7
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(**cosmetic** compns. containing substituted pyrimidine derivs. as activator and/or stabilizer of cyclooxygenase)
- IT 39391-18-9, Cyclooxygenase 39391-18-9, Prostaglandin-endoperoxide synthase
RL: BSU (Biological study, unclassified); BIOL (Biological study)
(**cosmetic** compns. containing substituted pyrimidine derivs. as activator and/or stabilizer of cyclooxygenase)
- IT **128304-90-5**
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)
(**cosmetic** compns. containing substituted pyrimidine derivs. as activator and/or stabilizer of cyclooxygenase)
- RN 128304-90-5 HCAPLUS
- CN 2,4-Pyrimidinediamine, 6-butoxy-, 3-oxide (9CI) (CA INDEX NAME)



DN 117:137681
 ED Entered STN: 04 Oct 1992
 TI Multicomponent pharmaceutical or kit for the preparation of the
 sulfoconjugated forms of pyridino-, pyrimidino- or triazino-N-oxides
 IN Gaetani, Quintino; Rougier, Andre; Duranton, Albert; Hocquaux, Michel
 PA Oreal S. A., Fr.
 SO Eur. Pat. Appl., 13 pp.
 CODEN: EPXXDW
 DT Patent
 LA French
 IC ICM A61K031-505
 ICS A61K031-53; A61K031-445
 CC 63-6 (Pharmaceuticals)
 Section cross-reference(s): 28, 62

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	EP 494005	A1	19920708	EP 1991-403479	19911220 <--
	EP 494005	B1	19970205		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE				
	FR 2671082	A1	19920703	FR 1990-16504	19901228 <--
	FR 2671082	B1	19930416		
	US <u>5360804</u>	A	19941101	US 1991-805943	19911212 <--
	AT 148629	E	19970215	AT 1991-403479	19911220 <--
	ES 2097198	T3	19970401	ES 1991-403479	19911220 <--
	CA 2058471	AA	19920629	CA 1991-2058471	19911227 <--
	JP 04308576	A2	19921030	JP 1991-357989	19911227 <--
	JP 3115072	B2	20001204		
PRAI	FR 1990-16504	A	19901228	<--	

OS MARPAT 117:137681

AB The title invention comprise a pyridino-, pyrimidino- or triazino-N-oxide and a sulfating agent. Thus, citric acid 10, Na₂HCO₃ 15, SO₃-triethylamine 5g were ground to a homogeneous powder and 0.3g was filled into each sachets under inert atmospheric A 5% minoxidil (I) hydroalc. solution in 5mL unit dose vial was prepared The content of sachet is added to the vial to obtain I-sulfate. The sulfation after 30min was 50%.

ST pyridino compd sulfate pharmaceutical; pyrimidino compd sulfate prepn pharmaceutical; triazino oxide sulfate pharmaceutical; sulfation pyridino pyrimidino pharmaceutical; midoxidil sulfate pharmaceutical

IT Antihypertensives

(pyridino and pyrimidino and triazino oxide sulfates as, preparation of)

IT Alopecia

(treatment of, with pyridino and pyrimidino and triazino oxide sulfates)

IT Hair preparations

(growth stimulants, pyridino and pyrimidino and triazino oxide sulfates as, preparation of)

IT 83701-22-8P, Minoxidil sulfate

RL: PREP (Preparation)

(preparation of, for pharmaceutical)

IT 761-01-3 3162-58-1, Trimethylamine sulfate 143410-70-2 143413-58-5

RL: RCT (Reactant); RACT (Reactant or reagent)

(reaction of, with minoxidil)

IT 38304-91-5, Minoxidil

RL: RCT (Reactant); RACT (Reactant or reagent)

(reaction of, with propylethylamine sulfate)

IT 63708-82-7 80142-52-5 81558-43-2 128304-90-5 130183-36-7

132971-00-7 138849-11-3

RL: RCT (Reactant); RACT (Reactant or reagent)


(sulfation of)

IT 128304-90-5 132971-00-7


RL: RCT (Reactant); RACT (Reactant or reagent)

(sulfation of)

RN 128304-90-5 HCAPLUS
 CN 2,4-Pyrimidinediamine, 6-butoxy-, 3-oxide (9CI) (CA INDEX NAME)



RN 132971-00-7 HCAPLUS
 CN 2,4,6-Pyrimidinetriamine, N4-hexyl-, 1-oxide (9CI) (CA INDEX NAME)




L45 ANSWER 3 OF 10 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 1992:221322 HCAPLUS
 DN 116:221322
 ED Entered STN: 31 May 1992
 TI Preparation of pyrimidine 3-oxide derivatives for treatment of hair loss.
 IN Hocquaux, Michel; Dumats, Jacqueline; Galey, Jean Baptiste
 PA Oreal S. A., Fr.
 SO PCT Int. Appl., 34 pp.
 CODEN: PIXXD2
 DT Patent
 LA French
 IC ICM A61K007-06
 ICS A61K031-505; C07D239-48
 CC 62-3 (Essential Oils and **Cosmetics**)
 Section cross-reference(s): 28

FAN.CNT 1


	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9201437	A1	19920206	WO 1991-FR596	19910719 <--
	W: CA, JP, US				
	RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LU, NL, SE				
	CA 2087591	AA	19920121	CA 1991-2087591	19910719 <--
	EP 540629	A1	19930512	EP 1991-913941	19910719 <--
	EP 540629	B1	19940504		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE				
	JP 05509099	T2	19931216	JP 1991-513195	19910719 <--
	JP 3040164	B2	20000508		
	AT 105173	E	19940515	AT 1991-913941	19910719 <--
	ES 2052387	T3	19940701	ES 1991-913941	19910719 <--
	<u>US 5328914</u>	A	19940712	US 1993-956507	19930119 <--
PRAI	LU 1990-87766	A	19900720		<--
	EP 1991-913941	A	19910719		<--
	WO 1991-FR596	W	19910719		<--

OS MARPAT 116:221322

GI




- AB Compns. containing aminopyrimidine 3-oxide derivs. (I; R1 = Me, NHR4; R4 = C1-4 alkyl, H; R2 = H, NHR4; R2 = Me when R1 = Me; when R1 = NH2, R2 ≠ H; R3 = H, C1-4 alkyl, halo, NO, NH2) and salts thereof are used for treatment of **hair** loss. Thus, 2,4-diamino-6-chloropyrimidine 3-oxide was hydrogenated over Pd/C to obtain 2,4-diaminopyrimidine-3-oxide (II). A **hair** lotion contained II 3, propylene glycol 20, EtOH 30; and water to 100 g.
- ST pyrimidine deriv prepn **hair** growth stimulant
- IT **Alopecia**
(treatment of, with aminopyrimidine oxide derivs.)
- IT **Hair preparations**
(growth stimulants, aminopyrimidine oxide derivs., preparation of)
- IT 35139-67-4, 2,4-Diamino-6-chloropyrimidine-3-oxide 91481-96-8
RL: RCT (Reactant); RACT (Reactant or reagent)
(hydrogenolysis of)
- IT 139654-06-1
RL: BIOL (Biological study)
(hydrogenolysy of)
- IT 141074-56-8P
RL: PREP (Preparation)
(preparation of, for **hair** loss treatment)
- IT 74638-76-9P **91481-94-6P** 91481-97-9P 141074-54-6P
141074-55-7P 141074-57-9P 141074-58-0P 141074-59-1P 141074-60-4P,
2,4-Diamino-5-nitropyrimidine-3-oxide
RL: PREP (Preparation)
(preparation of, **hair** loss treatment with composition containing)
- IT 59-67-6, Nicotinic acid, reactions 128-08-5, N-Bromosuccinimide
543-24-8, Aceturic acid 78418-01-6, 5-Octanoyl salicylic acid
RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction of, with aminopyrimidine oxide)
- IT 128-09-6, N-Chlorosuccinimide
RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction of, with aminopyrimidine oxide derivs.)
- IT **91481-94-6P**
RL: PREP (Preparation)
(preparation of, **hair** loss treatment with composition containing)
- RN 91481-94-6 HCAPLUS
- CN 2,4-Pyrimidinediamine, 5-ethyl-, 3-oxide (9CI) (CA INDEX NAME)



L45 ANSWER 4 OF 10 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 1991:514532 HCAPLUS
 DN 115:114532
 ED Entered STN: 23 Sep 1991
 TI Internal salts of 2,4-diamino-6-alkoxy-3-sulfooxypyrimidinium hydroxides

and their use in the treatment and prevention of **hair loss**
 IN Gaetani, Quintino; Estradier, Francoise; Hocquaux, Michel
 PA Oreal S. A., Fr.
 SO Eur. Pat. Appl., 11 pp.
 CODEN: EPXXDW
 DT Patent
 LA French
 IC ICM C07D239-48
 ICS A61K007-06; A61K031-505
 CC 28-16 (Heterocyclic Compounds (More Than One Hetero Atom))
 Section cross-reference(s): 62, 63
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	EP 427625	A1	19910515	EP 1990-403161	19901107 <--
	EP 427625	B1	19950104		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE				
	FR 2654101	A1	19910510	FR 1989-14667	19891108 <--
	FR 2654101	B1	19920131		
	JP 03178968	A2	19910802	JP 1990-300036	19901107 <--
	ES 2066171	T3	19950301	ES 1990-403161	19901107 <--
	CA 2029601	AA	19910509	CA 1990-2029601	19901108 <--
PRAI	FR 1989-14667		19891108	<--	
OS	MARPAT 115:114532				
GI					



AB Title salts I [R = C1-18 alkyl, C2-18 alkenyl, (un)saturated cyclic radical, or C1-6 alkyl bearing an aromatic or heterocyclic nucleus] were prepared for treatment of **hair loss**, i.e. **alopecia**, desquamative dermatitis, etc. (no data). Thus, 0.003 mol 2,4-diamino-6-ethoxypyrimidine 3-oxide was added to a reaction mixture from 0.012 mol (Me₂CH)₂NEt and 0.006 mol ClSO₃H in ice-cold CHCl₃, followed by stirring, evaporation, aqueous crystallization, and recrystn. (aqueous DMF) to give 40%
 I (R = Et). A
 lotion is prepared from I (R = Bu) 2.0, propylene glycol 22.8, EtOH 55.1 g, and H₂O to 100.0 g. Seven addnl. I and 4 addnl. formulations are described.
 ST aminoalkoxysulfooxyprymidinium prepn treatment **hair loss**;
 pyrimidinium aminoalkoxysulfooxy prepn treatment **alopecia**
 IT **Alopecia**
 (treatment of, diaminoalkoxysulfooxyprymidinium hydroxide internal salts for)
 IT Dermatitis
 (exfoliative, treatment of, diaminoalkoxysulfooxyprymidinium hydroxide internal salts for)
 IT 135837-75-1P 135837-76-2P 135837-77-3P
 135837-78-4P 135837-79-5P 135837-80-8P
 135837-81-9P 135837-82-0P, 2,4-Diamino-6-hexyloxy-3-sulfooxyprymidinium hydroxide internal salt
 RL: SPN (Synthetic preparation); PREP (Preparation)

(preparation of, for treatment of hair loss)

IT 128304-90-5, 2,4-Diamino-6-butoxypyrimidine 3-oxide
 128304-91-6, 2,4-Diamino-6-ethoxypyrimidine 3-oxide
 128304-93-8, 2,4-Diamino-6-hexyloxypyrimidine 3-oxide
 128304-94-9, 2,4-Diamino-6-octyloxypyrimidine 3-oxide
 128304-97-2 128304-99-4 135837-83-1
 135837-84-2


RL: RCT (Reactant); RACT (Reactant or reagent)
 (sulfonation of, in preparation of hair loss drug)

IT 135837-75-1P 135837-76-2P 135837-77-3P
 135837-78-4P 135837-79-5P 135837-80-8P
 135837-81-9P 135837-82-0P, 2,4-Diamino-6-hexyloxy-3-sulfooxypyrimidinium hydroxide internal salt

RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of, for treatment of hair loss)


RN 135837-75-1 HCAPLUS

CN 2-Pyrimidinamine, 4-ethoxy-1,6-dihydro-6-imino-1-(sulfooxy)- (9CI) (CA INDEX NAME)




RN 135837-76-2 HCAPLUS

CN 2-Pyrimidinamine, 4-butoxy-1,6-dihydro-6-imino-1-(sulfooxy)- (9CI) (CA INDEX NAME)




RN 135837-77-3 HCAPLUS

CN 2-Pyrimidinamine, 1,6-dihydro-6-imino-4-(octyloxy)-1-(sulfooxy)- (9CI) (CA INDEX NAME)




RN 135837-78-4 HCAPLUS

CN 2-Pyrimidinamine, 4-(3,3-dimethylbutoxy)-1,6-dihydro-6-imino-1-(sulfooxy)- (9CI) (CA INDEX NAME)




RN 135837-79-5 HCAPLUS

CN 2-Pyrimidinamine, 4-(5-hexenyloxy)-1,6-dihydro-6-imino-1-(sulfooxy)- (9CI)
(CA INDEX NAME)




RN 135837-80-8 HCAPLUS

CN 2-Pyrimidinamine, 1,6-dihydro-6-imino-1-(sulfooxy)-4-(10-undecenyloxy)- (9CI) (CA INDEX NAME)




RN 135837-81-9 HCAPLUS

CN 2-Pyrimidinamine, 1,6-dihydro-6-imino-4-(2-phenylethoxy)-1-(sulfooxy)- (9CI) (CA INDEX NAME)



RN 135837-82-0 HCAPLUS

CN 2-Pyrimidinamine, 4-(hexyloxy)-1,6-dihydro-6-imino-1-(sulfooxy)- (9CI)
(CA INDEX NAME)



IT 128304-90-5, 2,4-Diamino-6-butoxypyrimidine 3-oxide

128304-91-6, 2,4-Diamino-6-ethoxypyrimidine 3-oxide

128304-93-8, 2,4-Diamino-6-hexyloxy pyrimidine 3-oxide

128304-94-9, 2,4-Diamino-6-octyloxy pyrimidine 3-oxide

128304-97-2 128304-99-4 135837-83-1


135837-84-2

RL: RCT (Reactant); RACT (Reactant or reagent)

(sulfonation of, in preparation of hair loss drug)


RN 128304-90-5 HCAPLUS

CN 2,4-Pyrimidinediamine, 6-butoxy-, 3-oxide (9CI) (CA INDEX NAME)




RN 128304-91-6 HCAPLUS

CN 2,4-Pyrimidinediamine, 6-ethoxy-, 3-oxide (9CI) (CA INDEX NAME)




RN 128304-93-8 HCAPLUS

CN 2,4-Pyrimidinediamine, 6-(hexyloxy)-, 3-oxide (9CI) (CA INDEX NAME)




RN 128304-94-9 HCAPLUS

CN 2,4-Pyrimidinediamine, 6-(octyloxy)-, 3-oxide (9CI) (CA INDEX NAME)




RN 128304-97-2 HCAPLUS

CN 2,4-Pyrimidinediamine, 6-(5-hexenyloxy)-, 3-oxide (9CI) (CA INDEX NAME)




RN 128304-99-4 HCAPLUS

CN 2,4-Pyrimidinediamine, 6-(2-phenylethoxy)-, 3-oxide (9CI) (CA INDEX NAME)




RN 135837-83-1 HCAPLUS

CN 2,4-Pyrimidinediamine, 6-(3,3-dimethylbutoxy)-, 3-oxide (9CI) (CA INDEX NAME)



RN 135837-84-2 HCAPLUS

CN 2,4-Pyrimidinediamine, 6-(10-undecenyoxy)-, 3-oxide (9CI) (CA INDEX NAME)



L45 ANSWER 5 OF 10 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 1991:157150 HCAPLUS

DN 114:157150

ED Entered STN: 03 May 1991

TI Minoxidil sulfate is the active metabolite that stimulates hair follicles

AU Buhl, Allen E.; Waldon, Daniel J.; Baker, Carolyn A.; Johnson, Garland A.

CS Hairgrowth Res., Upjohn Co., Kalamazoo, MI, USA

SO Journal of Investigative Dermatology (1990), 95(5), 553-7

CODEN: JIDEAE; ISSN: 0022-202X

DT Journal

LA English


CC 1-12 (Pharmacology)

AB An important step in understanding minoxidil's mechanism of action on hair follicles was to determine the drug's active form. Organ-cultured

```

ST      minoxidil sulfate hair growth
IT      Drug interactions
          (of acetaminophen with minoxidil sulfation, hair follicle
          stimulation in relation to)
IT      Hair
          (follicle, stimulation of, by minoxidil sulfate)
IT      103-90-2
          RL: BIOL (Biological study)
          (hair follicle stimulation by minoxidil inhibition by)
IT      38304-91-5, Minoxidil 132971-00-7, U 51607
          RL: BIOL (Biological study)
          (hair follicle stimulation by, sulfate metabolite in)
IT      83701-22-8
          RL: BIOL (Biological study)
          (hair follicles stimulation by, as minoxidil metabolite)
IT      52-90-4, Cysteine, biological studies
          RL: BIOL (Biological study)
          (in hair follicle stimulation by minoxidil, sulfate
          metabolite formation in relation to)
IT      132971-00-7, U 51607
          RL: BIOL (Biological study)
          (hair follicle stimulation by, sulfate metabolite in)
RN      132971-00-7  HCAPLUS
CN      2,4,6-Pyrimidinetriamine, N4-hexyl-, 1-oxide (9CI)  (CA INDEX NAME)


```



L45 ANSWER 6 OF 10 HCAPLUS COPYRIGHT 2004 ACS on STN
AN 1990:597661 HCAPLUS
DN 113:197661
ED Entered STN: 23 Nov 1990
TI Hair growth stimulating preparations containing pyrimidine

N-oxides
 IN Suetsugu, Masaru; Fujinuma, Yoshimori; Ishino, Akihiro; Tsuji, Yoshiharu;
 Nakanishi, Jotaro
 PA Shiseido Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 10 pp.
 CODEN: JKXXAF
 DT Patent
 LA Japanese
 IC ICM A61K007-06
 ICS A61K031-505
 ICA C07D239-48; C07D239-50
 CC 62-3 (Essential Oils and Cosmetics)
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 02160710	A2	19900620	JP 1988-315686	19881214 <--
	JP 2814090	B2	19981022		
	JP 10182365	A2	19980707	JP 1997-365532	19971222 <--
	JP 2961528	B2	19991012		
PRAI	JP 1988-315686	A3	19881214 <--		
OS	MARPAT 113:197661				
GI					



AB **Hair** growth stimulating preps. contain pyrimidine N-oxides I, II [R1 = C1-8 alkyl, R2 = H, C1-8 alkyl, Br, Cl, NO2, NH2; R3, R4 = H, C1-8 alkyl, C3-8 alkenyl (N-attaching C is saturated) C7-12 phenylalkyl, C3-8 cycloalkyl, R3 = R4 ≠ H; NR3R4 may form aziridinyl, azetidiny, pyrrolidinyl, piperidino, hexahydroazepinyl, heptamethylenimino, octamethylenimino, morpholino, 4-alkylpiperazinyl, which may have 1-3 C1-3 alkyl group(s) attached to their ring Cl, their acyl derivs., their tautomers, and/or their salts. 2-Amino-4-methyl-6-piperidinopyrimidine 3-oxide 2.0, 95% EtOH 60.0, H2O 36.0, and poly(oxyethylene) hydrogenated castor oil 2.0% by weight were mixed to give a liquid preparation, which accelerated

hair growth in mice.

ST **hair** growth stimulant pyrimidine oxide

IT **Alopecia**

(treatment of, pyrimidine oxides for)

IT **Hair preparations**

(growth stimulants, pyrimidine oxides in)

IT 81558-43-2 128305-05-5 130183-36-7 130183-37-8 130183-38-9

RL: BIOL (Biological study)

(**hair** growth stimulating preps. containing)


IT 130183-37-8

RL: BIOL (Biological study)

(**hair** growth stimulating preps. containing)

RN 130183-37-8 HCAPLUS


CN 2,4-Pyrimidinediamine, 6-phenoxy-, 3-oxide (9CI) (CA INDEX NAME)



L45 ANSWER 7 OF 10 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 1990:459211 HCAPLUS
 DN 113:59211
 ED Entered STN: 17 Aug 1990
 TI Preparation and formulation of 2,4-diaminopyrimidine-3-oxides for use in treatment and prevention of hair loss
 IN Hocquaux, Michel; Dumats, Jacqueline; Gaetani, Quintino
 PA Oreal S. A., Fr.
 SO Eur. Pat. Appl., 21 pp.
 CODEN: EPXXDW
 DT Patent
 LA French
 IC ICM C07D239-48
 ICS A61K007-06
 CC 28-16 (Heterocyclic Compounds (More Than One Hetero Atom))
 Section cross-reference(s): 63

FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	EP 356271	A1	19900228	EP 1989-402002	19890712 <--
	EP 356271	B1	19950405		
	R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, NL, SE				
	AT 120738	E	19950415	AT 1989-402002	19890712 <--
	ES 2070186	T3	19950601	ES 1989-402002	19890712 <--
	JP 02078666	A2	19900319	JP 1989-194437	19890728 <--
	US <u>4973474</u>	A	19901127	US 1989-387590	19890731 <--
	CA 1340445	A1	19990316	CA 1989-607180	19890801 <--
	EP 408442	A1	19910116	EP 1990-401983	19900710 <--
	EP 408442	B1	19940831		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE				
	ES 2063309	T3	19950101	ES 1990-401983	19900710 <--
	CA 2020986	AA	19910113	CA 1990-2020986	19900712 <--
	JP 03115270	A2	19910516	JP 1990-185141	19900712 <--
	US 5132106	A	19920721	US 1990-551534	19900712 <--
PRAI	LU 1988-87308		19880801		<--
	EP 1989-402002		19890712		<--
	US 1989-387590		19890731		<--
	FR 1990-1148		19900131		<--
OS	MARPAT 113:59211				
GI					




I


AB The title compds. [I; R = alkyl, alkenyl, cycloalkyl, aralkyl; R1, R2 = H,

acylcarbamoyl, (un)substituted aralkyl] were prepared for treatment and prevention of **hair** loss (no data). Thus, 2,4-diamino-6-chloropyrimidine 3-oxide was refluxed 24 h with NaOBu in BuOH to give I (R = Bu, R1 = R2 = H).


ST aminopyrimidine oxide prepn **hair** loss; pyrimidine oxide diamino **hair** loss
 IT **Alopecia**
 (prevention and treatment of, diaminopyrimidine oxides for)
 IT 128304-90-5P 128304-91-6P 128304-92-7P
 128304-93-8P 128304-94-9P 128304-95-0P
 128304-96-1P 128304-97-2P 128304-98-3P
 128304-99-4P 128305-00-0P 128305-01-1P 128305-02-2P
 128305-03-3P 128305-04-4P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of, for treatment and prevention of **hair** loss)
 IT 60-12-8, Benzeneethanol 71-36-3, 1-Butanol, reactions 79-22-1,
 Methylchloroformate 79-44-7, N,N-Dimethylcarbamoyl chloride 104-76-7
 111-27-3, Hexanol, reactions 111-87-5, 1-Octanol, reactions 112-43-6,
 10-Undecen-1-ol 112-53-8, 1-Dodecanol 501-53-1, Benzylchloroformate
 821-41-0, 5-Hexen-1-ol 35139-67-4, 2,4-Diamino-6-chloropyrimidine-3-
 oxide 128305-05-5
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, in preparation of agents for treatment and prevention of **hair** loss)
 IT 128304-90-5P 128304-91-6P 128304-92-7P
 128304-93-8P 128304-94-9P 128304-95-0P
 128304-96-1P 128304-97-2P 128304-98-3P
 128304-99-4P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of, for treatment and prevention of **hair** loss)
 RN 128304-90-5 HCAPLUS
 CN 2,4-Pyrimidinediamine, 6-butoxy-, 3-oxide (9CI) (CA INDEX NAME)




RN 128304-91-6 HCAPLUS
 CN 2,4-Pyrimidinediamine, 6-ethoxy-, 3-oxide (9CI) (CA INDEX NAME)




RN 128304-92-7 HCAPLUS
 CN 2,4-Pyrimidinediamine, 6-methoxy-, 3-oxide (9CI) (CA INDEX NAME)




RN 128304-93-8 HCAPLUS
 CN 2,4-Pyrimidinediamine, 6-(hexyloxy)-, 3-oxide (9CI) (CA INDEX NAME)




RN 128304-94-9 HCAPLUS
 CN 2,4-Pyrimidinediamine, 6-(octyloxy)-, 3-oxide (9CI) (CA INDEX NAME)




RN 128304-95-0 HCAPLUS
 CN 2,4-Pyrimidinediamine, 6-(dodecyloxy)-, 3-oxide (9CI) (CA INDEX NAME)



RN 128304-96-1 HCAPLUS
 CN 2,4-Pyrimidinediamine, 6-[(2-ethylhexyl)oxy]-, 3-oxide (9CI) (CA INDEX NAME)




RN 128304-97-2 HCAPLUS
 CN 2,4-Pyrimidinediamine, 6-(5-hexenyloxy)-, 3-oxide (9CI) (CA INDEX NAME)




RN 128304-98-3 HCAPLUS

CN 2,4-Pyrimidinediamine, 6-(undecyloxy)-, 3-oxide (9CI) (CA INDEX NAME)



RN 128304-99-4 HCAPLUS

CN 2,4-Pyrimidinediamine, 6-(2-phenylethoxy)-, 3-oxide (9CI) (CA INDEX NAME)



L45 ANSWER 8 OF 10 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 1988:493038 HCAPLUS

DN 109:93038

ED Entered STN: 17 Sep 1988

TI Preparation of 6-amino-1,2-dihydro-1-hydroxy-2-iminopyrimidine derivatives and **cosmetic** compositions containing them

IN Saccani, Renato; Mattac, Margherita; Saccani, Enrica

PA Kemyos Bio Medical Research S.r.l., Italy

SO Fr. Demande, 21 pp.

CODEN: FRXXBL

DT Patent

LA French

IC ICM C07D239-48

ICS C07D401-04; A61K007-06; C07C149-247; C07C149-24; C07C149-40


ICI C07D401-04, C07D239-48, C07D211-40

CC 28-16 (Heterocyclic Compounds (More Than One Hetero Atom))


Section cross-reference(s): 34, 62

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	FR 2590897	A1	19870605	FR 1985-17798	19851202 <--
	FR 2590897	B1	19880219		
PRAI	FR 1985-17798		19851202	<--	
GI					



- AB The title compds. [I; R = H, SO₃⁻; R₁ = 1-piperidinyl, 3-hydroxy-1-piperidinyl, 4-hydroxy-1-piperidinyl, HO₂C(CH₂)₄NH; A = N-acetylcysteine, thiosalicylic acid, carboxycysteine, 2-(benzoylthio)propionylglycine], useful for treatment of **baldness**, are prepared 4-Chloro-2,6-diaminopyrimidine was reacted with 3-hydroxypiperidine at 100° for 1.5 h to give 2,6-diamino-4-(3-hydroxy-1-piperidinyl)pyrimidine, which was treated with 30% H₂O₂ to give dihydropyrimidine derivative II (R = H, R₁ = 3-hydroxy-1-piperidinyl). This and N-acetylcysteine were dissolved in Me₂CHOH with heat to give I (R = H, R₁ = 3-hydroxy-1-piperidinyl, A = N-acetylcysteine). Seven **hair** prepn. are given containing I for the treatment of **baldness**. In an experiment using rabbits, **hair** growth in shaven areas treated with I was 0.3 mm/day, which was 35% faster than untreated areas.
- ST aminodihydroxyiminopyrimidine deriv prepn **hair** growth;
pyrimidine aminodihydroxyimino deriv prepn **hair** growth
- IT **Alopecia**
(treatment of, aminodihydroxyiminopyrimidines for)
- IT 660-88-8, 5-Aminopentanoic acid 5382-16-1 6859-99-0,
3-Hydroxypiperidine
RL: RCT (Reactant); RACT (Reactant or reagent)
(amination by, of chloroiminopyrimidine derivs.)
- IT 156-83-2
RL: RCT (Reactant); RACT (Reactant or reagent)
(amination of, by piperidine derivs.)
- IT 38304-91-5
RL: RCT (Reactant); RACT (Reactant or reagent)
(esterification of, with chlorosulfonic acid)
- IT 7790-94-5, Chlorosulfonic acid
RL: RCT (Reactant); RACT (Reactant or reagent)
(esterification of, with hydroxydihydropyrimidine derivative)
- IT 111152-92-2P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and oxidation of)
- IT 39640-64-7P 39640-65-8P 111152-78-4P 111152-79-5P 111152-80-8P
111152-81-9P 111152-82-0P 111152-83-1P 111152-84-2P
111152-85-3P 111152-86-4P 111152-87-5P
111152-88-6P 111152-89-7P 111152-90-0P 111180-28-0P 111180-29-1P
111180-30-4P 111180-31-5P 113318-17-5P
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of, for treatment of **baldness**)
- IT 111152-84-2P 111152-85-3P 111152-86-4P
111152-87-5P 111180-30-4P
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of, for treatment of **baldness**)
- RN 111152-84-2 HCAPLUS
- CN Pentanoic acid, 5-[(6-amino-1,2-dihydro-1-hydroxy-2-imino-4-pyrimidinyl)amino]- (9CI) (CA INDEX NAME)




RN 111152-85-3 HCAPLUS

CN L-Cysteine, N-acetyl-, 5-[(6-amino-1,2-dihydro-1-hydroxy-2-imino-4-pyrimidinyl)amino]pentanoate (9CI) (CA INDEX NAME)

CM 1

CRN 111152-84-2

CMF C9 H15 N5 O3




CM 2

CRN 616-91-1

CMF C5 H9 N O3 S

Absolute stereochemistry.




RN 111152-86-4 HCAPLUS

CN Benzoic acid, 2-mercapto-, compd. with 5-[(6-amino-1,2-dihydro-1-hydroxy-2-imino-4-pyrimidinyl)amino]pentanoic acid (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 111152-84-2


CMF C9 H15 N5 O3



CM 2

CRN 147-93-3

CMF C7 H6 O2 S




RN 111152-87-5 HCAPLUS

CN Glycine, N-[2-(benzoylthio)-1-oxopropyl]-, compd. with
5-[(6-amino-1,2-dihydro-1-hydroxy-2-imino-4-pyrimidinyl)amino]pentanoic
acid (1:1) (9CI). (CA INDEX NAME)

CM 1

CRN 111152-84-2


CMF C9 H15 N5 O3



CM 2

CRN 6183-01-3

CMF C12 H13 N O4 S




RN 111180-30-4 HCAPLUS

CN L-Cysteine, S-(carboxymethyl)-, 5-[(6-amino-1,2-dihydro-1-hydroxy-2-imino-
4-pyrimidinyl)amino]pentanoate (9CI) (CA INDEX NAME)

CM 1

CRN 111152-84-2


CMF C9 H15 N5 O3



CM 2


CRN 638-23-3
CMF C5 H9 N O4 S

Absolute stereochemistry.



L45 ANSWER 9 OF 10 HCAPLUS COPYRIGHT 2004 ACS on STN
AN 1988:118712 HCAPLUS
DN 108:118712
ED Entered STN: 01 Apr 1988
TI Pyrimidine compounds for the growth of **hair** and **cosmetic** formulations containing such compounds
IN Saccani, Renato; Mattacchini, Margherita; Saccani, Enrica
PA Kemyos Bio Medical Research S.r.l., Italy
SO Brit. UK Pat. Appl., 9 pp.
CODEN: BAXXDU
DT Patent
LA English
IC ICM C07D401-04
ICS A61K031-095; A61K031-195; A61K031-505; C07C101-02; C07C149-40; C07C149-243; C07C153-00; C07D239-46
CC 62-3 (Essential Oils and **Cosmetics**)
Section cross-reference(s): 28
FAN.CNT 1
PATENT NO. KIND DATE APPLICATION NO. DATE

PI GB 2183632 A1 19870610 GB 1985-30065 19851206 <--
GB 2183632 B2 19900404
PRAI GB 1985-30065 19851206 <--
GI



AB The title compds. [I; R = H, SO3H; R1 = 1-piperidinyl, 3-hydroxy-1-piperidinyl, HO2C(CH2)4NH; when R = H, then A = N-acetylcysteine, thiosalicylic acid, S-carboxymethylcysteine, N-[2-(benzoylthio)propionyl]glycine and when R = SO3H, then A = arginine, cysteine Me ester, lysine, carboxycysteine di-Me ester, where the amino acids may be in D-, L-, or DL-form], useful for stimulation of **hair** growth and treatment of **alopecia**, are prepared
4-Chloro-2,6-diaminopyrimidine (3 g) was heated at 100° for 1.5 h with 30 g 3-hydroxypiperidine to give 3.2 g 2,6-diamino-4-(3-hydroxy-1-piperidinyl)pyrimidine, which (18 g) was treated with 30 mL 30% H2O2 in 100 mL MeOH, stirred for 1 h, the solvent evaporated, and the residue heated at 60° for 30 min to give 15 g 6-amino-1,2-dihydro-1-hydroxy-2-imino-4-(3-hydroxy-1-piperidinyl)pyrimidine. The latter compound (21.69 g) was treated with 15.42 g thiosalicylic acid in Me2CHOH to give 35 g I (R = H, R1 = 3-hydroxy-1-piperidinyl, A = thiosalicylic acid) (II). A

lotion contained iso-Pr myristate 10, PEG 6000 DS 20, cetyl alc. 20, antioxidant 1.0, Carbopol 940 1.5, EDTA 0.5, perfume composition 5, II 10 g, 10% NaOH 3 mL, EtOH 30 mL, and water qs 1L. The average speed of **hair** growth on shaved New Zealand rabbits with I applied topically at 1 mg/day in 2 applications was 0.3 mm/day with maximum activity after 45-60 days of treatment. I were more active than minoxidil when using equivalent quantities.

ST minoxidil metabolite salt prepn **hair** growth

IT **Alopecia**

(treatment of, minoxidil metabolite salts for)

IT **Hair preparations**

(growth stimulants, minoxidil metabolite salts)

IT 39640-65-8P

RL: PREP (Preparation)

(preparation and conversion to sulfate with chlorosulfonic acid)

IT 111152-92-2P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and oxidation of, with hydrogen peroxide)

IT 39640-64-7P 80142-71-8P 113266-59-4P

RL: PREP (Preparation)

(preparation of)

IT 111152-78-4P 111152-79-5P 111152-80-8P 111152-81-9P 111152-82-0P

111152-85-3P 111152-86-4P 111152-87-5P

111180-28-0P 111180-29-1P 111180-30-4P 113266-62-9P

113266-64-1P 113266-65-2P 113266-66-3P 113318-17-5P

RL: PREP (Preparation)

(preparation of, as **hair** growth stimulant)

IT 660-88-8 5382-16-1, 4-Hydroxypiperidine 6859-99-0, 3-Hydroxypiperidine

RL: RCT (Reactant); RACT (Reactant or reagent)

(reaction of, with chloropyrimidinediamine)

IT 156-83-2, 4-Chloro-2,6-diaminopyrimidine

RL: RCT (Reactant); RACT (Reactant or reagent)

(reaction of, with hydroxypiperidine or aminopetanaoic acid)

IT 38304-91-5, Minoxidil

RL: RCT (Reactant); RACT (Reactant or reagent)

(sulfation of, with chlorosulfonic acid)

IT 111152-85-3P 111152-86-4P 111152-87-5P

111180-30-4P

RL: PREP (Preparation)

(preparation of, as **hair** growth stimulant)


RN 111152-85-3 HCAPLUS

CN L-Cysteine, N-acetyl-, 5-[(6-amino-1,2-dihydro-1-hydroxy-2-imino-4-pyrimidinyl)amino]pentanoate (9CI) (CA INDEX NAME)

CM 1

CRN 111152-84-2

CMF C9 H15 N5 O3




CM 2

CRN 616-91-1

CMF C5 H9 N O3 S

Absolute stereochemistry.




RN 111152-86-4 HCAPLUS

CN Benzoic acid, 2-mercapto-, compd. with 5-[(6-amino-1,2-dihydro-1-hydroxy-2-imino-4-pyrimidinyl)amino]pentanoic acid (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 111152-84-2


CMF C9 H15 N5 O3



CM 2

CRN 147-93-3

CMF C7 H6 O2 S




RN 111152-87-5 HCAPLUS

CN Glycine, N-[2-(benzoylthio)-1-oxopropyl]-, compd. with 5-[(6-amino-1,2-dihydro-1-hydroxy-2-imino-4-pyrimidinyl)amino]pentanoic acid (1:1) (9CI) (CA INDEX NAME)

CM 1


CRN 111152-84-2

CMF C9 H15 N5 O3



CM 2


CRN 6183-01-3
CMF C12 H13 N O4 S



RN 111180-30-4 HCAPLUS
CN L-Cysteine, S-(carboxymethyl)-, 5-[(6-amino-1,2-dihydro-1-hydroxy-2-imino-4-pyrimidinyl)amino]pentanoate (9CI) (CA INDEX NAME)

CM 1


CRN 111152-84-2
CMF C9 H15 N5 O3



CM 2

CRN 638-23-3
CMF C5 H9 N O4 S

Absolute stereochemistry.




L45 ANSWER 10 OF 10 HCAPLUS COPYRIGHT 2004 ACS on STN
AN 1987:604911 HCAPLUS
DN 107:204911
ED Entered STN: 27 Nov 1987
TI Preparation of pyrimidine derivatives as hair-growth stimulators
IN Saccani, Renato; Mattacchini, Margherita; Saccani, Enrica
PA Kemyos Bio Medical Research S.r.l., Italy
SO Ger. Offen., 9 pp.
CODEN: GWXXBX
DT Patent
LA German
IC ICM C07D239-48
ICS C07D401-04; A61K007-06; A61K031-505; C07C149-247; C07C149-40;
C07C101-24; C07C129-12
CC 62-3 (Essential Oils and Cosmetics)
Section cross-reference(s): 28

FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	---	-----	-----	-----

PI DE 3544267 A1 19870619 DE 1985-3544267 19851214 <--
 DE 3544267 C2 19890720
 PRAI DE 1985-3544267 19851214 <--
 GI



AB The pyrimidines I (R = H, SO₃H; R₁ = piperidin-1-yl, 3- or 4-hydroxypiperidin-1-yl, 4-carboxybutylamino; when R = H, A = N-acetylcysteine, carboxycystein, thiosalicylic acid, 2-benzoylmercaptopropionyl glycine; when R = SO₃H, A = arginine, methylcysteine, lysine, carboxycysteine di-Me ester) are prepared as **hair-growth** stimulators and **alopecia**-controlling agents. A mixture of 4-chloro-2,6-diaminopyrimidine and 3-hydroxypiperidine was heated at 100° for 1.5 h, followed by treatment with NaOH, to give 2,6-diamino-4-(3-hydroxypiperidin-1-yl)pyrimidine, which was treated with H₂O₂ in MeOH to give 6-amino-1,2-dihydro-1-hydroxy-2-imino-4-(3-hydroxypiperidin-1-yl)pyrimidine (II). II and N-acetylcysteine in iso-PrOH was treated with Me₂CO to precipitate II.N-acetylcysteinate (III). A **shampoo** was made of Na lauryl ethoxylate 600, coco diethanolamide 60, ethylene glycol monostearate 20, polyethylene glycol distearate 20, dye 2.5, III 2.0 g, preservative, and water to 1000 g.

ST pyrimidine deriv prepn **hair** stimulant; **alopecia** treatment pyrimidine deriv

IT **Alopecia**
 (treatment of, N-hydroxyiminopyrimidinamine derivs. for)

IT **Hair preparations**
 (growth stimulants, N-hydroxyiminopyrimidinamine derivs.)

IT 39640-64-7P 39640-65-8P **111152-84-2P** 111152-93-3P
 RL: PREP (Preparation)
 (preparation and conversion to amino acid salts)

IT 111152-92-2P
 RL: RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
 (preparation and hydrogen peroxide oxidation of)

IT 111152-78-4P 111152-79-5P 111152-80-8P 111152-81-9P 111152-82-0P
 111152-83-1P **111152-85-3P** **111152-86-4P**
111152-87-5P 111152-89-7P 111152-90-0P 111152-91-1P
 111180-28-0P 111180-29-1P **111180-30-4P** 111180-31-5P
 RL: PREP (Preparation)
 (preparation of, as **hair** growth stimulator)


IT 660-88-8, 5-Aminopentanoic acid 5382-16-1, 4-Hydroxypiperidine 6859-99-0
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with chloro(diamino)pyrimidine)

IT 156-83-2, 4-Chloro-2,6-diaminopyrimidine
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with hydroxypiperidine)

IT **111152-84-2P**
 RL: PREP (Preparation)
 (preparation and conversion to amino acid salts)

RN 111152-84-2 HCAPLUS

CN Pentanoic acid, 5-[(6-amino-1,2-dihydro-1-hydroxy-2-imino-4-pyrimidinyl)amino]- (9CI) (CA INDEX NAME)



IT 111152-85-3P 111152-86-4P 111152-87-5P
111180-30-4P


RL: PREP (Preparation)
(preparation of, as hair growth stimulator)

RN 111152-85-3 HCAPLUS

CN L-Cysteine, N-acetyl-, 5-[(6-amino-1,2-dihydro-1-hydroxy-2-imino-4-pyrimidinyl)amino]pentanoate (9CI) (CA INDEX NAME)

CM 1


CRN 111152-84-2
CMF C9 H15 N5 O3



CM 2

CRN 616-91-1
CMF C5 H9 N O3 S

Absolute stereochemistry.




RN 111152-86-4 HCAPLUS

CN Benzoic acid, 2-mercapto-, compd. with 5-[(6-amino-1,2-dihydro-1-hydroxy-2-imino-4-pyrimidinyl)amino]pentanoic acid (1:1) (9CI) (CA INDEX NAME)


CM 1

CRN 111152-84-2
CMF C9 H15 N5 O3



CM 2


CRN 147-93-3
 CMF C7 H6 O2 S



RN 111152-87-5 HCAPLUS
 CN Glycine, N-[2-(benzoylthio)-1-oxopropyl]-, compd. with
 5-[(6-amino-1,2-dihydro-1-hydroxy-2-imino-4-pyrimidinyl)aminolpentanoic
 acid (1:1) (9CI) (CA INDEX NAME)


CM 1

CRN 111152-84-2
 CMF C9 H15 N5 O3



CM 2


CRN 6183-01-3
 CMF C12 H13 N O4 S



RN 111180-30-4 HCAPLUS
 CN L-Cysteine, S-(carboxymethyl)-, 5-[(6-amino-1,2-dihydro-1-hydroxy-2-imino-
 4-pyrimidinyl)aminolpentanoate (9CI) (CA INDEX NAME)

CM 1

CRN 111152-84-2
 CMF C9 H15 N5 O3




CM 2

CRN 638-23-3

CMF C5 H9 N O4 S

Absolute stereochemistry.



=> fil reg

FILE 'REGISTRY' ENTERED AT 09:51:43 ON 21 JUN 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 20 JUN 2004 HIGHEST RN 696584-79-9

DICTIONARY FILE UPDATES: 20 JUN 2004 HIGHEST RN 696584-79-9

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more
information enter HELP PROP at an arrow prompt in the file or refer
to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=> d l22 ide can tot

L22 ANSWER 1 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN

RN 135837-84-2 REGISTRY

CN 2,4-Pyrimidinediamine, 6-(10-undecenyloxy)-, 3-oxide (9CI) (CA INDEX
NAME)

FS 3D CONCORD


MF C15 H26 N4 O2

SR CA

LC STN Files: CA, CAPLUS

DT.CA Caplus document type: Patent

RL.P Roles from patents: RACT (Reactant or reagent)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 115:114532

L22 ANSWER 2 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 135837-83-1 REGISTRY
CN 2,4-Pyrimidinediamine, 6-(3,3-dimethylbutoxy)-, 3-oxide (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C10 H18 N4 O2
SR CA
LC STN Files: CA, CAPLUS
DT.CA Caplus document type: Patent
RL.P Roles from patents: RACT (Reactant or reagent)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 115:114532

L22 ANSWER 3 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 135837-82-0 REGISTRY
CN 2-Pyrimidinamine, 4-(hexyloxy)-1,6-dihydro-6-imino-1-(sulfooxy)- (9CI) (CA INDEX NAME)
OTHER NAMES:
CN 2,4-Diamino-6-hexyloxy-3-sulfooxypyridinium hydroxide internal salt
FS 3D CONCORD
MF C10 H18 N4 O5 S
SR CA
LC STN Files: CA, CAPLUS
DT.CA Caplus document type: Patent
RL.P Roles from patents: PREP (Preparation)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 115:114532

L22 ANSWER 4 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 135837-81-9 REGISTRY
CN 2-Pyrimidinamine, 1,6-dihydro-6-imino-4-(2-phenylethoxy)-1-(sulfooxy)-
(9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C12 H14 N4 O5 S
SR CA
LC STN Files: CA, CAPLUS
DT.CA Caplus document type: Patent
RL.P Roles from patents: PREP (Preparation)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 115:114532

L22 ANSWER 5 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 135837-80-8 REGISTRY
CN 2-Pyrimidinamine, 1,6-dihydro-6-imino-1-(sulfooxy)-4-(10-undecenyl-
(9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C15 H26 N4 O5 S
SR CA
LC STN Files: CA, CAPLUS
DT.CA Caplus document type: Patent
RL.P Roles from patents: PREP (Preparation)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 115:114532

L22 ANSWER 6 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 135837-79-5 REGISTRY
CN 2-Pyrimidinamine, 4-(5-hexenyloxy)-1,6-dihydro-6-imino-1-(sulfooxy)- (9CI)
(CA INDEX NAME)

FS 3D CONCORD
 MF C10 H16 N4 O5 S
 SR CA
 LC STN Files: CA, CAPLUS
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: PREP (Preparation)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 115:114532

L22 ANSWER 7 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 135837-78-4 REGISTRY
 CN 2-Pyrimidinamine, 4-(3,3-dimethylbutoxy)-1,6-dihydro-6-imino-1-(sulfooxy)-
 (9CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C10 H18 N4 O5 S
 SR CA
 LC STN Files: CA, CAPLUS
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: PREP (Preparation)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 115:114532

L22 ANSWER 8 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 135837-77-3 REGISTRY
 CN 2-Pyrimidinamine, 1,6-dihydro-6-imino-4-(octyloxy)-1-(sulfooxy)- (9CI)
 (CA INDEX NAME)
 FS 3D CONCORD
 MF C12 H22 N4 O5 S
 SR CA
 LC STN Files: CA, CAPLUS
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: PREP (Preparation)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 115:114532

L22 ANSWER 9 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 135837-76-2 REGISTRY
CN 2-Pyrimidinamine, 4-butoxy-1,6-dihydro-6-imino-1-(sulfooxy)- (9CI) (CA
INDEX NAME)
FS 3D CONCORD
MF C8 H14 N4 O5 S
SR CA
LC STN Files: CA, CAPLUS
DT.CA Caplus document type: Patent
RL.P Roles from patents: PREP (Preparation)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 115:114532

L22 ANSWER 10 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 135837-75-1 REGISTRY
CN 2-Pyrimidinamine, 4-ethoxy-1,6-dihydro-6-imino-1-(sulfooxy)- (9CI) (CA
INDEX NAME)
FS 3D CONCORD
MF C6 H10 N4 O5 S
SR CA
LC STN Files: CA, CAPLUS
DT.CA Caplus document type: Patent
RL.P Roles from patents: PREP (Preparation)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 115:114532

L22 ANSWER 11 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 132971-00-7 REGISTRY
CN 2,4,6-Pyrimidinetriamine, N4-hexyl-, 1-oxide (9CI) (CA INDEX NAME)
OTHER NAMES:
CN U 51607
FS 3D CONCORD
MF C10 H19 N5 O
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Journal; Patent
RL.P Roles from patents: RACT (Reactant or reagent)
RL.NP Roles from non-patents: BIOL (Biological study); RACT (Reactant or reagent)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


3 REFERENCES IN FILE CA (1907 TO DATE)
3 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 121:124533

REFERENCE 2: 117:137681

REFERENCE 3: 114:157150

L22 ANSWER 12 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 130183-37-8 REGISTRY
CN 2,4-Pyrimidinediamine, 6-phenoxy-, 3-oxide (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C10 H10 N4 O2
SR CA
LC STN Files: CA, CAPLUS
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 113:197661

L22 ANSWER 13 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 128304-99-4 REGISTRY
CN 2,4-Pyrimidinediamine, 6-(2-phenylethoxy)-, 3-oxide (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C12 H14 N4 O2
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: PREP (Preparation); RACT (Reactant or reagent)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 115:114532

REFERENCE 2: 113:59211

L22 ANSWER 14 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 128304-98-3 REGISTRY
CN 2,4-Pyrimidinediamine, 6-(undecyloxy)-, 3-oxide (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C15 H28 N4 O2
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: PREP (Preparation)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 113:59211

L22 ANSWER 15 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 128304-97-2 REGISTRY
CN 2,4-Pyrimidinediamine, 6-(5-hexenyloxy)-, 3-oxide (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C10 H16 N4 O2
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: PREP (Preparation); RACT (Reactant or reagent)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 115:114532

REFERENCE 2: 113:59211

L22 ANSWER 16 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 128304-96-1 REGISTRY
CN 2,4-Pyrimidinediamine, 6-[(2-ethylhexyl)oxy]-, 3-oxide (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C12 H22 N4 O2
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: PREP (Preparation)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 113:59211

L22 ANSWER 17 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 128304-95-0 REGISTRY
CN 2,4-Pyrimidinediamine, 6-(dodecyloxy)-, 3-oxide (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C16 H30 N4 O2
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: PREP (Preparation)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 113:59211

L22 ANSWER 18 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 128304-94-9 REGISTRY
CN 2,4-Pyrimidinediamine, 6-(octyloxy)-, 3-oxide (9CI) (CA INDEX NAME)
OTHER NAMES:
CN 2,4-Diamino-6-(octyloxy)pyrimidine 3-oxide
FS 3D CONCORD
MF C12 H22 N4 O2
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: PREP (Preparation); RACT (Reactant or reagent)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 115:114532

REFERENCE 2: 113:59211

L22 ANSWER 19 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 128304-93-8 REGISTRY
CN 2,4-Pyrimidinediamine, 6-(hexyloxy)-, 3-oxide (9CI) (CA INDEX NAME)
OTHER NAMES:
CN 2,4-Diamino-6-(hexyloxy)pyrimidine 3-oxide
FS 3D CONCORD
MF C10 H18 N4 O2
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: PREP (Preparation); RACT (Reactant or reagent)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 115:114532

REFERENCE 2: 113:59211

L22 ANSWER 20 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 128304-92-7 REGISTRY
CN 2,4-Pyrimidinediamine, 6-methoxy-, 3-oxide (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C5 H8 N4 O2
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: PREP (Preparation)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 113:59211

L22 ANSWER 21 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 128304-91-6 REGISTRY
CN 2,4-Pyrimidinediamine, 6-ethoxy-, 3-oxide (9CI) (CA INDEX NAME)
OTHER NAMES:
CN 2,4-Diamino-6-ethoxypyrimidine 3-oxide

FS 3D CONCORD
MF C6 H10 N4 O2
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: PREP (Preparation); RACT (Reactant or reagent)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 115:114532

REFERENCE 2: 113:59211

L22 ANSWER 22 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 128304-90-5 REGISTRY
CN 2,4-Pyrimidinediamine, 6-butoxy-, 3-oxide (9CI) (CA INDEX NAME)
OTHER NAMES:
CN 2,4-Diamino-6-butoxypyrimidine 3-oxide
FS 3D CONCORD
MF C8 H14 N4 O2
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Journal; Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
RL.NP Roles from non-patents: BIOL (Biological study); PRP (Properties); USES (Uses)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

5 REFERENCES IN FILE CA (1907 TO DATE)
5 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 125:284387

REFERENCE 2: 125:104289

REFERENCE 3: 117:137681

REFERENCE 4: 115:114532

REFERENCE 5: 113:59211

L22 ANSWER 23 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN

RN 111180-30-4 REGISTRY

CN L-Cysteine, S-(carboxymethyl)-, 5-[(6-amino-1,2-dihydro-1-hydroxy-2-imino-4-pyrimidinyl)amino]pentanoate (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Pentanoic acid, 5-[(6-amino-1,2-dihydro-1-hydroxy-2-imino-4-pyrimidinyl)amino]-, compd. with S-(carboxymethyl)-L-cysteine (1:1) (9CI)

FS STEREOSEARCH

MF C9 H15 N5 O3 . C5 H9 N O4 S

SR CA

LC STN Files: CA, CAPLUS


DT.CA Caplus document type: Patent

RL.P Roles from patents: PREP (Preparation)

CM 1

CRN 111152-84-2

CMF C9 H15 N5 O3




CM 2

CRN 638-23-3

CMF C5 H9 N O4 S

Absolute stereochemistry.



3 REFERENCES IN FILE CA (1907 TO DATE)

3 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 109:93038

REFERENCE 2: 108:118712

REFERENCE 3: 107:204911

L22 ANSWER 24 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN

RN 111152-87-5 REGISTRY

CN Glycine, N-[2-(benzoylthio)-1-oxopropyl]-, compd. with 5-[(6-amino-1,2-dihydro-1-hydroxy-2-imino-4-pyrimidinyl)amino]pentanoic acid (1:1) (9CI) (CA INDEX NAME)


OTHER CA INDEX NAMES:

CN Pentanoic acid, 5-[(6-amino-1,2-dihydro-1-hydroxy-2-imino-4-pyrimidinyl)amino]-, compd. with N-[2-(benzoylthio)-1-oxopropyl]glycine (1:1) (9CI)

MF C12 H13 N O4 S . C9 H15 N5 O3
 SR CA
 LC STN Files: CA, CAPLUS
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: PREP (Preparation)


CM 1

CRN 111152-84-2
 CMF C9 H15 N5 O3



CM 2

CRN 6183-01-3
 CMF C12 H13 N O4 S



3 REFERENCES IN FILE CA (1907 TO DATE)
 3 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 109:93038


REFERENCE 2: 108:118712

REFERENCE 3: 107:204911

L22 ANSWER 25 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 111152-86-4 REGISTRY
 CN Benzoic acid, 2-mercapto-, compd. with 5-[(6-amino-1,2-dihydro-1-hydroxy-2-imino-4-pyrimidinyl)amino]pentanoic acid (1:1) (9CI) (CA INDEX NAME)
 OTHER CA INDEX NAMES:
 CN Pentanoic acid, 5-[(6-amino-1,2-dihydro-1-hydroxy-2-imino-4-pyrimidinyl)amino]-, mono(2-mercaptobenzoate) (salt) (9CI)
 MF C9 H15 N5 O3 . C7 H6 O2 S
 SR CA
 LC STN Files: CA, CAPLUS
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: PREP (Preparation)

CM 1


CRN 111152-84-2
 CMF C9 H15 N5 O3



CM 2

CRN 147-93-3

CMF C7 H6 O2 S



3 REFERENCES IN FILE CA (1907 TO DATE)

3 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 109:93038

REFERENCE 2: 108:118712

REFERENCE 3: 107:204911

L22 ANSWER 26 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN

RN 111152-85-3 REGISTRY

CN L-Cysteine, N-acetyl-, 5-[(6-amino-1,2-dihydro-1-hydroxy-2-imino-4-pyrimidinyl)amino]pentanoate (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Pentanoic acid, 5-[(6-amino-1,2-dihydro-1-hydroxy-2-imino-4-pyrimidinyl)amino]-, compd. with N-acetyl-L-cysteine (1:1) (9CI)

FS STEREOSEARCH

MF C9 H15 N5 O3 . C5 H9 N O3 S

SR CA

LC STN Files: CA, CAPLUS


DT.CA Caplus document type: Patent

RL.P Roles from patents: PREP (Preparation)

CM 1

CRN 111152-84-2

CMF C9 H15 N5 O3




CM 2

CRN 616-91-1

CMF C5 H9 N O3 S

Absolute stereochemistry.




3 REFERENCES IN FILE CA (1907 TO DATE)
 3 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 109:93038

REFERENCE 2: 108:118712

REFERENCE 3: 107:204911

L22 ANSWER 27 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 111152-84-2 REGISTRY
 CN Pentanoic acid, 5-[(6-amino-1,2-dihydro-1-hydroxy-2-imino-4-pyrimidinyl)amino]- (9CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C9 H15 N5 O3
 CI COM
 SR CA
 LC STN Files: CA, CAPLUS
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: PREP (Preparation)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
 2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 109:93038

REFERENCE 2: 107:204911

L22 ANSWER 28 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 91481-94-6 REGISTRY
 CN 2,4-Pyrimidinediamine, 5-ethyl-, 3-oxide (9CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C6 H10 N4 O
 LC STN Files: CA, CAPLUS, USPATFULL
 DT.CA Caplus document type: Journal; Patent
 RL.P Roles from patents: PREP (Preparation)
 RL.NP Roles from non-patents: PRP (Properties)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 116:221322

REFERENCE 2: 101:90302

L22 ANSWER 29 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 87190-06-5 REGISTRY
CN 2,4-Pyrimidinediamine, 1,6-dihydro-6-imino-N4-methyl-1-(sulfooxy) - (9CI)
(CA INDEX NAME)
FS 3D CONCORD
MF C5 H9 N5 O4 S
LC STN Files: BEILSTEIN*, CA, CAPLUS, MEDLINE
(*File contains numerically searchable property data)
DT.CA Caplus document type: Journal
RL.NP Roles from non-patents: BIOL (Biological study); PREP (Preparation);
USES (Uses)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


REFERENCE 1: 99:194922

L22 ANSWER 30 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 84370-86-5 REGISTRY
CN 4-Pyrimidinamine, 2,3-dihydro-3-hydroxy-2-imino-6-phenoxy- (9CI) (CA
INDEX NAME)
FS 3D CONCORD
MF C10 H10 N4 O2
SR European Union (EU)
LC STN Files: CHEMLIST
Other Sources: EINECS**
(*Enter CHEMLIST File for up-to-date regulatory information)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L22 ANSWER 31 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 80142-91-2 REGISTRY
 CN 2,4,6-Pyridinetriamine, N4-3-hexenyl-, 1-oxide (9CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C11 H18 N4 O
 LC STN Files: CA, CAPLUS, USPATFULL
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: RACT (Reactant or reagent)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 96:20113

L22 ANSWER 32 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 80142-90-1 REGISTRY
 CN 2,4-Pyridinediamine, N4-3-hexenyl-1,6-dihydro-6-imino-1-(sulfooxy)- (9CI)
 (CA INDEX NAME)
 FS 3D CONCORD
 MF C11 H18 N4 O4 S
 LC STN Files: CA, CAPLUS, USPATFULL
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: PREP (Preparation)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 96:20113

L22 ANSWER 33 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 80142-89-8 REGISTRY
CN 2,4,6-Pyridinetriamine, N4-(3-phenylpropyl)-, 1-oxide (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C14 H18 N4 O
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Cplus document type: Patent
RL.P Roles from patents: RACT (Reactant or reagent)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 96:20113

L22 ANSWER 34 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 80142-88-7 REGISTRY
CN 2,4,6-Pyridinediamine, 1,6-dihydro-6-imino-N4-(3-phenylpropyl)-1-(sulfooxy)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C14 H18 N4 O4 S
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Cplus document type: Patent
RL.P Roles from patents: PREP (Preparation)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 96:20113

L22 ANSWER 35 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 74638-77-0 REGISTRY
 CN 2,4-Pyrimidinediamine, 5-(methoxymethyl)-, 3-oxide (9CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C6 H10 N4 O2
 LC STN Files: CA, CAPLUS
 DT.CA CAplus document type: Journal
 RL.NP Roles from non-patents: PRP (Properties)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 93:94356

L22 ANSWER 36 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 56828-41-2 REGISTRY
 CN Pentanoic acid, 5-[(2,6-diamino-1-oxido-4-pyrimidinyl)amino]- (9CI) (CA INDEX NAME)
 OTHER CA INDEX NAMES:
 CN Pentanoic acid, 5-[(2,6-diamino-4-pyrimidinyl)amino]-, N-oxide
 OTHER NAMES:
 CN 2,4-Diamino-6-(4'-carboxy-n-butylamino)pyrimidine 3-oxide
 FS 3D CONCORD
 MF C9 H15 N5 O3
 LC STN Files: CA, CAPLUS
 DT.CA CAplus document type: Journal
 RL.NP Roles from non-patents: BIOL (Biological study)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 83:188142

L22 ANSWER 37 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 55973-02-9 REGISTRY
 CN 2,4,6-Pyrimidinetriamine, N4-methyl-, 1-oxide (9CI) (CA INDEX NAME)
 OTHER NAMES:

CN 2,4-Diamino-6-(methylamino)pyrimidine 3-oxide
 CN U 46313E
 FS 3D CONCORD
 DR 157141-11-2
 MF C5 H9 N5 O
 LC STN Files: BEILSTEIN*, CA, CAPLUS, IFICDB, IFIPAT, IFIUDB, USPATFULL
 (*File contains numerically searchable property data)
 DT.CA CAPLUS document type: Journal; Patent
 RL.P Roles from patents: PREP (Preparation)
 RL.NP Roles from non-patents: BIOL (Biological study); PREP (Preparation);
 RACT (Reactant or reagent)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

5 REFERENCES IN FILE CA (1907 TO DATE)
 5 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 121:124533

REFERENCE 2: 99:194922

REFERENCE 3: 84:59536

REFERENCE 4: 83:193211

REFERENCE 5: 83:72150

L22 ANSWER 38 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN

RN 55921-56-7 REGISTRY

CN 2,4,6-Pyrimidinetriamine, N4-decyl-, 1-oxide (9CI) (CA INDEX NAME)

OTHER NAMES:

CN 2,4-Diamino-6-(decylamino)pyrimidine 3-oxide

FS 3D CONCORD


MF C14 H27 N5 O

LC STN Files: BEILSTEIN*, CA, CAPLUS, IFICDB, IFIPAT, IFIUDB, USPATFULL
 (*File contains numerically searchable property data)

DT.CA CAPLUS document type: Journal; Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES
 (Uses)

RL.NP Roles from non-patents: BIOL (Biological study); PREP (Preparation)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

4 REFERENCES IN FILE CA (1907 TO DATE)
4 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 140:92609

REFERENCE 2: 84:59536

REFERENCE 3: 83:193211

REFERENCE 4: 83:72150

L22 ANSWER 39 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN

RN 55921-55-6 REGISTRY

CN 2,4,6-Pyrimidinetriamine, N4-butyl-, 1-oxide (9CI) (CA INDEX NAME)

OTHER NAMES:

CN 2,4-Diamino-6-(butylamino)pyrimidine 3-oxide

FS 3D CONCORD


MF C8 H15 N5 O

LC STN Files: BEILSTEIN*, CA, CAPLUS, IFICDB, IFIPAT, IFIUDB, USPATFULL
(*File contains numerically searchable property data)

DT.CA Caplus document type: Journal; Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

RL.NP Roles from non-patents: BIOL (Biological study); PREP (Preparation)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

4 REFERENCES IN FILE CA (1907 TO DATE)
4 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 121:170582

REFERENCE 2: 84:59536

REFERENCE 3: 83:193211

REFERENCE 4: 83:72150

L22 ANSWER 40 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN

RN 55921-54-5 REGISTRY

CN 2,4,6-Pyrimidinetriamine, N4-ethyl-, 1-oxide (9CI) (CA INDEX NAME)

OTHER NAMES:

CN 2,4-Diamino-6-(ethylamino)pyrimidine 3-oxide

FS 3D CONCORD

MF C6 H11 N5 O


LC STN Files: BEILSTEIN*, CA, CAPLUS, CASREACT, IFICDB, IFIPAT, IFIUDB, USPATFULL

(*File contains numerically searchable property data)

DT.CA Caplus document type: Journal; Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation)

RL.NP Roles from non-patents: BIOL (Biological study); PREP (Preparation);
PRP (Properties); RACT (Reactant or reagent)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

6 REFERENCES IN FILE CA (1907 TO DATE)
6 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 121:170582
REFERENCE 2: 101:90302
REFERENCE 3: 92:128848
REFERENCE 4: 84:59536
REFERENCE 5: 83:193211
REFERENCE 6: 83:72150

L22 ANSWER 41 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 30680-04-7 REGISTRY
CN Pyrimidine, 2,4-diamino-5-piperonyl-, 3-oxide, hydrochloride (8CI) (CA INDEX NAME)
MF C12 H12 N4 O3 . x Cl H
LC STN Files: CA, CAPLUS, IFICDB, IFIPAT, IFIUIDB, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: PREP (Preparation)




●x HCl

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 74:76443

L22 ANSWER 42 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 17827-88-2 REGISTRY
CN Pyridine, 2,6-diamino-4-butoxy-, 1-oxide (8CI) (CA INDEX NAME)
FS 3D CONCORD
MF C9 H15 N3 O2
LC STN Files: BEILSTEIN*, CA, CAPLUS, IFICDB, IFIPAT, IFIUIDB
(*File contains numerically searchable property data)
DT.CA Caplus document type: Patent
RL.P Roles from patents: PREP (Preparation)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 68:68890

L22 ANSWER 43 OF 43 REGISTRY COPYRIGHT 2004 ACS on STN
RN 17792-36-8 REGISTRY
CN Pyridine, 2,6-diamino-4-phenoxy-, 1-oxide (8CI) (CA INDEX NAME)
FS 3D CONCORD
MF C11 H11 N3 O2
LC STN Files: BEILSTEIN*, CA, CAPLUS, IFICDB, IFIPAT, IFIUDB
(*File contains numerically searchable property data)
DT.CA Caplus document type: Patent
RL.P Roles from patents: PREP (Preparation)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 68:68890

=>